

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| | | | | |
|--------------------------|------------------|----------------------|-------------------------|------------------|
| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
| 10/649,933 | 08/28/2003 | Seo-Hyun Cho | 1349.1280 | 6101 |
| 21171 7 | 2590 03/07/2006 | | EXAMINER | |
| STAAS & HALSEY LLP | | | VO, ANH T N | |
| SUITE 700 1201 NEW YO | ORK AVENUE, N.W. | | ART UNIT | PAPER NUMBER |
| | N, DC 20005 | | 2861 | |
| | | | DATE MAILED: 03/07/2006 | |

Please find below and/or attached an Office communication concerning this application or proceeding.

| | Application No. | Applicant(s) | |
|---|---|---|----------|
| | 10/649,933 | CHO ET AL. | |
| Office Action Summary | Examiner | Art Unit | |
| | | | |
| The MAILING DATE of this communication a | Anh T.N. Vo | the correspondence address | |
| Period for Reply | ppears on the cover sheet with | i the correspondence address | |
| A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b). | DATE OF THIS COMMUNICATION OF THIS COMMUNICATION OF THIS COMMUNICATION OF THE PROPERTY OF THE | ATION. bly be timely filed HS from the mailing date of this communic NDONED (35 U.S.C. § 133). | · |
| Status | | | |
| Responsive to communication(s) filed on 19 This action is FINAL. 2b) ☑ The 3) ☐ Since this application is in condition for allow closed in accordance with the practice under | nis action is non-final. vance except for formal matte | • | ts is |
| Disposition of Claims | | | |
| 4) Claim(s) 1-37 is/are pending in the application 4a) Of the above claim(s) is/are withdrest size allowed. 5) Claim(s) is/are allowed. 6) Claim(s) 1-37 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and claim(s) are subject to restriction and claim(s) are subjected to by the Examination of the specification is objected to by the Examination of the specification is objected to by the Examination of the specification is objected to by the Examination of the specification is objected to by the Examination of the specification is objected to by the Examination of the specification is objected to by the Examination of the specification is objected to by the Examination of the specification is objected to by the Examination of the specification is objected to by the Examination of the specification is objected to by the Examination of the specification is objected to by the Examination of the specification of th | rawn from consideration. I/or election requirement. | | |
| 10) The drawing(s) filed on is/are: a) accompanies and a second | ccepted or b) objected to by ne drawing(s) be held in abeyance | e. See 37 CFR 1.85(a). | 21(d). |
| 11) The oath or declaration is objected to by the | Examiner. Note the attached | Office Action or form PTO-15 | 2. |
| Priority under 35 U.S.C. § 119 | | | |
| 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the praphication from the International Bure * See the attached detailed Office action for a limit | ents have been received. Ents have been received in Apriority documents have been reau (PCT Rule 17.2(a)). | plication No eceived in this National Stage | } |
| Attachment(s) 1) Notice of References Cited (PTO-892) | · - | mmary (PTO-413) | |
| 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 Paper No(s)/Mail Date | | /Mail Date ormal Patent Application (PTO-152) | |

NON-FINAL REJECTION

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 1/19/06 has been entered.

The rejections of Iwanaga et al. (Pub. No. US 2002/0012033) and Jone et al (US6,682,183) are withdrawn in view of the arguments presented in the amendment.

Claims Rejections

Claim Rejections - 35 U.S.C. § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-37 are rejected under 35 USC 103 (a) as being unpatentable over Kim et al. (US Pat. 6,623,092) in view of Tsukuda (US Pat. 6,234,615).

Kim et al. disclose in Figures 2-3 an ink cartridge comprising:

- at least one first chamber (160) storing an ink;

- at least one second chamber (120) having an air inflow hole (124) formed at an upper portion thereof to be exposed to an ambient air and an ink supply portion (132) formed at a lower portion thereof and having an ink supply port supplying an ink, the second chamber containing with a negative pressure generating medium (122) storing the ink;
- an intermediate partition (110) having a connecting hole (112) defined in a lower portion thereof, connecting the first and the second chambers (160, 120) to each other, the intermediate partition (110) dividing the first and the second chambers (160, 120);
- wherein the third face comprises an inclined surface (an unmarked inclined surface is at bottom wall of an chamber 120) extending toward the ink supply portion (132) from a position, which is separated by a predetermined distance from a third vertical plane vertically extending from a second wall of the intermediate partition facing the second chamber by a predetermined distance, the inclined surface being inclined at a predetermined obtuse angle with respect to a horizontal surface;
- wherein a lower surface of the negative pressure generating medium (122) to expand in the second chamber (120) adjacent to the intermediate partition (110) is inclined at an angle corresponding to the angle of the inclined surface before the negative pressure generating medium expands in the second chamber, thereby preventing the negative pressure generating medium from being compressed and expanding in a substantially triangular space defined by an extended plane from the inclined surface of the third face, a non-inclined surface of the third face, and the third vertical plane as the negative pressure generating medium expands in the second chamber;
- wherein the obtuse angle of the inclined surface is measured from a non-inclined portion of the third face;
- wherein the third face (an unmarked bottom wall of a chamber 160) comprises a horizontal surface portion parallel to the horizontal plane.
- wherein the ink cartridge comprises magenta, cyan, and yellow ink chambers (Fig. 2);
- wherein the medium chamber (120) contains a negative pressure generating medium (122) including a porous material, wherein the porous material is foam to store ink;
- a filter (130) on a stand pipe between the medium (122) and the ink supply port (132) to guide a flow of the ink;

- wherein a portion of the base of the ink cartridge (100) in the medium chamber side (120) is inclined at an angle between 90 and 180 degrees from a non-inclined portion of the base toward the ink supply portion (132) (Fig. 3); and

- wherein the inclined portion prevents air bubbles from horizontally moving toward the ink supply port (132); and
- wherein a lower surface of the medium (122) has an inclined angle substantially corresponding to the angle of the inclined surface.

However, Kim et al. do not disclose that a first volume is larger than a second volume; wherein the first volume being defined by a first face forming an ink contact surface of the negative pressure generating medium adjacent the connection hole, a second face forming a bottom surface of the intermediate partition in the connecting hole, a third face forming a bottom of the ink cartridge, and a first vertical plane extending vertically from a center plane of the intermediate partition and the second volume being defined by the first vertical plane, the second face, the third face, and a second vertical plane extending vertically from a wall of the intermediate partition facing the first chamber as recited in claims 1 and 15; the corner of the cut out of the medium is inclined or stepped as recited in claims 27-28, 34-35 and 37, and the inclined position begins at a position within the ink chamber side as recited in claims 29-31. For example, the medium (122) of Kim et al does not include a cut-out corner at the connecting hole (112) so that the medium (122) does not create a first volume and a second volume as claimed, and the inclined potion of the bottom wall begins at a position inside the second ink chamber (120) instead of being inside of the first ink chamber (160).

Tsukuda suggests in Figures 1 and 3A-3C an ink tank (8B) comprising a partitioned wall (30W), a first chamber (30B), a second chamber (30A) and a porous member (32) having a corner in a rounded shape at a connecting hole (30T). The rounded corner of the porous member creates a first volume and a second volume as claimed for providing a stable negative pressure immediately after a replenishing operation, see lines 40-45, column 9.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to make the corner of porous member of Kim et al rounded as suggested by Tsukuda for the purpose of providing a stable negative pressure immediately after a replenishing operation. Noted that the modified porous member with a rounded corner of Kim et al in view of Tsukuda would create the claimed first volume and the claimed second volume.

Although Kim et al in view of Tsukuda does not specify that the cut-out medium is inclined or stepped, and the declined wall of the bottom wall includes a inclined position which begins inside the first chamber (160); however, a skilled artisan realizes that the cut out corner can be cut in different shapes to enhance the negative pressure and the transfer of ink between the chambers, and the inclined wall can be rearranged as claimed for accommodating with the size and shape of a cartridge holder of a predetermined printing device in which the modified ink cartridge of Kim et al is to be used. Thus, selecting an optimum shape of the cut-out corner or rearranging the declined wall as claimed is considered to be a matter of a mechanical design expedient for an engineer. In re Daily, 357 F.2d 669, 149 USPQ 47 (CCPA 1966). See MPEP 2144.04. Lacking of showing any criticality, it would have been obvious to one having ordinary skill in the art at the time the invention was made to select the shapes for the cut-out corner of the modified premium of Kim et al as claimed for the purpose of enhancing the negative pressure and the transfer of ink between the chambers, and rearranging the declined wall of the ink cartridge for the purpose of accommodating with the size and shape of a predetermined holder.

Response to Applicant's Arguments

The applicant argues that Kim and Iwanaga do not disclose the claimed first volume. The argument is persuasive. However, the first volume is suggested in the Tsukuda reference as stated above.

CONCLUSION

Application/Control Number: 10/649,933 Page 6

Art Unit: 2861

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Anh Vo whose telephone number is (571) 272-2262. The examiner can normally be reached on Tuesday to Friday from 9:00 A.M.to 7:00 P.M..

The fax number of this Group 2861 is (571) 273-8300.

PRIMARY EXAMINER

March 2, 2006